

-	7024	((subtract\$3 OR cancel\$4 OR remov\$3) NEAR3 (background OR ambient OR noise OR (dark ADJ current))) AND semiconductor	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:41
-	2919	257/40,431,458.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:08
-	239	((background OR ambient) NEAR3 (radiation OR light)) OR (dark ADJ current)) AND 257/40,431,458.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:17
-	111	(resistance OR resistive) AND (((background OR ambient) NEAR3 (radiation OR light)) OR (dark ADJ current)) AND 257/40,431,458.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:18
-	6	((remov\$3 OR subtract\$3) WITH ((dark ADJ current) OR (background))) AND ((resistance OR resistive) AND (((background OR ambient) NEAR3 (radiation OR light)) OR (dark ADJ current)) AND 257/40,431,458.ccls.))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:19
-	3	("4445029" or ("4829171" or ("4990771")).PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:38
-	675	(subtract\$3 NEAR3 ((background ADJ signal) OR (dark ADJ current)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:42
-	268	((subtract\$3 NEAR3 ((background ADJ signal) OR (dark ADJ current))) AND (resistance OR resistor)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:43
-	594	348/241,243.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:43
-	5899	250/208.1,214.1,214R,214L,214C.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:43
-	268	((subtract\$3 NEAR3 ((background ADJ signal) OR (dark ADJ current)))) AND (resistance OR resistor) AND (257/40,431,458.ccls. ((subtract\$3 NEAR3 ((background ADJ signal) OR (dark ADJ current)))) AND (resistance OR resistor) 250/208.1,214.1,214R,214L,214C.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:44
-	22	((subtract\$3 NEAR3 ((background ADJ signal) OR (dark ADJ current)))) AND (resistance OR resistor) AND (257/40,431,458.ccls. 348/241,243.ccls. 250/208.1,214.1,214R,214L,214C.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:44
-	5	("5130775" "5232631" "5315100" "5323208" "5804836").PN.	USPAT	2003/08/27 13:51
-	0	6208006.URPN.	USPAT	2003/08/27 13:57
-	2	("5057820" "5130578").PN.	USPAT	2003/08/27 13:57
-	1	5635705.URPN.	USPAT	2003/08/27 13:58
-	0	resist AND ((idesawa and masanori).in.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/27 13:59
-	118	(idesawa and masanori).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/27 14:32
-	2	("3984677" "4900135").PN.	USPAT	2003/08/27 13:59

-	17	mcelvain.in.	USPAT; US-PGPUB PO JRG IBM_TDB	2003/08/27 14:32
---	----	--------------	---	------------------

BEST AVAILABLE COPY

		BEST AVAILABLE COPY		Time stamp
L Number	Hits	Search Text		
-	236	(((insulat\$3 OR resistance) NEAR3 layer) AND (image NEAR3 (chip sensor))) AND 250/208.1,214.1,214R,214L,214C.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 12:19
-	0	((current WITH subtract\$3) SAME resist\$4) AND (((insulat\$3 OR resistance) NEAR3 layer) AND (image NEAR3 (chip sensor))) AND 250/208.1,214.1,214R,214L,214C.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/22 14:24
-	6	(current WITH subtract\$3) AND (((insulat\$3 OR resistance) NEAR3 layer) AND (image NEAR3 (chip sensor))) AND 250/208.1,214.1,214R,214L,214C.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/22 15:37
-	68	348/241,243.ccls. AND (layer NEAR3 (conduct\$4 OR insulat\$3 OR resist\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/22 15:45
-	898	((subtract\$3 OR cancel\$4 OR remov\$3) NEAR3 (background OR ambient OR noise)) AND (layer NEAR3 resist\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 15:03
-	6	(((subtract\$3 OR cancel\$4 OR remov\$3) NEAR3 (background OR ambient OR noise)) AND (layer NEAR3 resist\$4)) AND 250/208.1,214.1,214R,214L,214C.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/22 15:47
-	5	("5130775" "5232631" "5315100" "5323208" "5804836").PN.	USPAT	2003/08/22 15:50
-	0	6208006.URPN.	USPAT	2003/08/22 15:51
-	4	(((subtract\$3 OR cancel\$4 OR remov\$3) NEAR3 (background OR ambient OR noise)) AND (layer NEAR3 resist\$4)) AND 348/241,243.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 12:20
-	2	(((subtract\$3 OR cancel\$4 OR remov\$3) NEAR3 (background OR ambient OR noise)) AND (layer NEAR3 resist\$4)) AND 257/461,294,431.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/22 16:11
-	75	(light OR image) AND ((spatial ADJ filter) SAME resist\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/22 16:18
-	10	((current OR signal) NEAR4 (subtract\$3 OR remov\$3 OR cancel\$4)) AND ((light OR image) AND ((spatial ADJ filter) SAME resist\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/22 16:52
-	91	(image ADJ sensor) AND (resistance ADJ layer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/22 16:52
-	234898	(sum OR summing) AND 17s	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/22 16:53
-	15	(sum OR summing) AND ((image ADJ sensor) AND (resistance ADJ layer))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/22 16:53
-	2373	257/461,294,431.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 12:19
-	3777	(((insulat\$3 OR resistance) NEAR3 layer) AND (image NEAR3 (chip sensor)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 12:20

BEST AVAILABLE COPY

-	48807	(subtract\$3 OR cancel\$4 OR remov\$3) NEAR3 (background OR ambient OR noise OR baseline)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 12:21
-	168	((insulat\$3 OR resistance) NEAR3 layer) AND (image NEAR3 (chip sensor))) AND ((subtract\$3 OR cancel\$4 OR remov\$3) NEAR3 (background OR ambient OR noise OR baseline))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 12:21
-	31	(250/208.1,214.1,214R,214L,214C.ccls. 257/461,294,431.ccls. 348/241,243.ccls.) AND (((insulat\$3 OR resistance) NEAR3 layer) AND (image NEAR3 (chip sensor))) AND ((subtract\$3 OR cancel\$4 OR remov\$3) NEAR3 (background OR ambient OR noise OR baseline)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 13:25
-	62355	masanori.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 13:25
-	118	masanori.in. AND idesawa.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 13:26
-	3	(image ADJ sensor) AND (masanori.in. AND idesawa.in.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 13:30
-	3	("4445029" "4829171" "4990771").PN.	USPAT	2003/08/24 13:29
-	0	5113063.URPN.	USPAT	2003/08/24 13:30
-	52	(resistance ADJ layer) AND (photo NEAR3 current)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 13:34
-	8	(resistance ADJ layer) AND (current NEAR subtract\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 14:41
-	0	997952.URPN.	USPAT	2003/08/24 13:37
-	556	(image ADJ sensor) AND ((subtract OR remove OR cancel) NEAR3 noise)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 14:48
-	1	((image ADJ sensor) AND ((subtract OR remove OR cancel) NEAR3 noise)) AND (resistance ADJ layer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 14:49
-	3	"semiconductor image position sensitive device".ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/24 15:36
-	3290	semiconductor AND (image NEAR3 sensor) AND terminal	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 14:56
-	2043	layer AND (semiconductor AND (image NEAR3 sensor) AND terminal)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 14:56
-	981	resistance AND (layer AND (semiconductor AND (image NEAR3 sensor) AND terminal))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 14:56
-	135	(dark ADJ current) AND (resistance AND (layer AND (semiconductor AND (image NEAR3 sensor) AND terminal)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/26 14:57